



## KARA II

Date : 09/2021



# LONG THROW K SERIES CONFIGURATION AND KIT LIST

## KARA II KIT LIST

KARA II SYSTEM	DESCRIPTION	H STANDARD				KX STANDARD (*)
		12 KARA	12 KARA 8 SB18	18 KARA 8 SB18	24 KARA 8 SB18	
<b>KARA II SYSTEM</b>						
KARA II	2-way active WST® enclosure: 2 x 8" LF + 3" HF diaphragm	12	12	18	24	
KARA-MINIBU	Mini bumper for flying 6 KARA (II)	2	2	0	0	
KARA-MINIBUEX	Extension bars for flying/stacking SB18/KARA (II)	0	0	0	0	
M-BUMP	Bumper for flying or stacking KARA (II)/SB18	0	0	2	2	
M-BAR	Extension bar for rigging frame	0	0	2	2	
KARA-PULLBACK	Pullback plate for KARA (II)	2	2	2	4	
M-JACK	4 tilt adjustment screw jacks with 2 angle bar extensions for stacked M-BUMP	0	0	2	2	
KARA-ANGARMEX	2 angle bar extension for KARA (II) bumper	2	2	2	2	
<b>SB18 SYSTEM</b>						
SB18	High power compact subwoofer: 1 x 18"	0	8	8	8	
SB18PLA	Removable front dolly on wheels for SB18/SB18m enclosure	0	8	8	8	
SB18-COV	Protective cover for SB18(m) enclosure	0	8	8	8	
KARA-MINIBU	Mini bumper for flying 6 KARA (II)	0	2	0	0	
KARA-MINIBUEX	Extension bars for flying/stacking SB18/KARA (II)	0	2	0	0	
M-BUMP	Bumper for flying or stacking KARA (II)/SB18	0	0	2	2	
M-BAR	Extension bar for rigging frame	0	0	2	0	
<b>AMPLIFIED CONTROLLERS</b>						
LA-RAK II AVB	Touring rack AVB (9U with 3 LA12X/2 LS10 and signal and power distribution panels)	0	0	0	2	
POW2	32A Power Link 2m	0	0	0	2	
LA12X	Amplified controller 4 x 2600 W/4 Ohms	2	4	4	0	
P1	Digital audio processor and measurement platform: 20 x 18 mic/line AES/EBU and AVB	0	0	0	1	
LS10	10-port AVB Switch	0	0	0	2	
LS10 RAKSHELF	1U Rack Shelf for two LS10	0	0	0	1	
<b>CABLES</b>						
DOE2	Dual AVB network cable CAT6A: etherCON 2m length	0	0	0	2	
DOE45	Dual AVB network cable CAT6A: etherCON 45m length	0	0	0	1	
DOE100	Dual AVB network cable CAT6A: etherCON 100m length	0	0	0	1	
SP.7	Speaker cable: 4 x 4mm² NL4 0.7m length	8	12	16	16	
SP25	Speaker cable: 4 x 4mm² NL4 25m length	0	0	4	0	
SP-Y1	Y split speaker cable: 2 x 2.5mm² NL4 1m length (with CC4FP adaptor)	0	0	2	0	
DO25	Speaker cable: 8 x 4mm² CA-COM 25m length	2	4	2	6	
DOFILL-LA8	Speaker cable extension for active 2 way enclosures CA-COM > 2 NL-4 length 3.5m	2	2	2	4	
DOSUB-LA8	Speaker cable breakout for passive enclosures CA-COM > 4 NL-2 length 5m	0	2	0	2	
<b>TRAINING</b>						
TRAINING	On site training (per day)	0	0	2	2	
TRAVEL-LOCAL	Local travel and meals	0	0	0	0	
TRAVEL-SHORT	Short haul travel meals and lodging	0	0	0	0	
TRAVEL-MEDIUM	Medium haul travel meals and lodging	0	0	1	1	
TRAVEL-LONG	Long haul travel meals and lodging	0	0	0	0	
TRAVEL-EXTRA	Meals and lodging cost for any additional day on site	0	0	0	0	
TRA-VOU1	1 day level 1 training (valid for 1 participant)	4	4	0	0	

## TOOLKIT

TECH TOOLCASE II  
MAINTENANCE TOOLCASE



## SERVICE STARTER KIT KARA II

G03520  
G03521  
G03616  
KR PIN601  
KR PIN621

## SERVICE STARTER KIT SB18


KR HPBC182  
KR CAPLATPIN

(\*) System might be different for




1	1	1
0	0	1
1	1	1
1	1	1
0	1	1
1	1	1
1	1	1
1	1	1


## 12 KARA II FOH




## 12 KARA II/SUB FOH (H Standard)



18 KARA II FOH (H Standard)



24 KARA II FOH (KX Standard)



AVB CONNECTIONS FOR AUDIO AND CONTROL

**KIT 24 KARA II FOH**

